

HL310N-3124

floor drain DN50/75/110 vertical, 121x121mm KLICK-KLACK/115x115mm "Nil"







floor drain DN50/75/110 vertical with flange, trap seal, cut-to-size grate frame 10 - 80 mm / stainless steel frame KLICK-KLACK 121 x 121 mm, stainless steel grate 115 x 115 mm "Nil" and supporting frame / cover. Comes with lot cover. System "KLICK-KLACK" - the new arresting system for grates. Loose or lost grates belong to the past. Simply insert the grate into the frame and "click" it in - ready!





MAIN DATA

spare parts

- 
HL0510.7EKK
 trap seal cartridge
- 
HL01086D
 O-ring 88x5mm
- 
HL310NK
 floor drain body DN50/75/110 vertical
- 
HL3124
 stainless steel grate (316) 115x115mm "Nil"
- 
HL3200
 grate frame d 110/100mm/stainless steel frame (316) 121x121mm. System "KLICK-KLACK". Comes with supporting frame/cover.
- 
HL01067D
 O-ring 92x4mm
- 
HL037N.OE
 supporting frame/cover 123x123mm

attachment

- 
HL2000KK
 trap seal PRIMUS
- 
HL619
 fixing brackets



HL840
fire collar R90 for HL310N series



HL845
formwork-core with center-ring for HL840

Extensions



HL340N
extension 80mm/d 110mm incl. O-ring



HL85N
extension with flange incl. O-ring



HL85NC
extension d 110mm CeraDrain with polymer concrete collar incl. O-ring



HL85NH
extension incl. O-ring with bitumen membrane

Waterproofing Kits



HL83
waterproofing kit with EPDM collar d 400mm



HL83.0
waterproofing kit



HL83.H
waterproofing kit with bitumen membrane d 400mm



HL83.M
Sealing kit with laminated fleece



HL83.P
waterproofing kit with flange PVC d 287mm

TECHNICAL DATA

material	PE	installation height	158 mm
dimension	DN50/75/110	grate frame	10-80 mm/121 x 121 mm V2A
capacity	< 0,5 l/s	grate	Edelstahl 115 x 115 mm V4A
weight	1,02	load class	L - 1,5 t
EAN	9003076016402	inlet	
		standards	

PACKAGING DATA

PE-bag

unit	1 [pcs.]
weight	1,022 [kg]
EAN/pack.	9003076016402

height/width/depth 0/0/0 [mm]

volume 0 [m³]

carton

unit 1 [pcs.]

weight 1,21 [kg]

EAN/pack. 9003076016402

height/width/depth 155/225/295 [mm]

volume 0,010288125 [m³]