HL510NG

floor drain DN40/50 horizontal 150x150mm/137x137mm cast iron

floor drain DN40/50 horizontal with flange, trap seal, cut-to-size plastic extension 34 - 78 mm, cast iron grate frame 150 x 150 mm and - grate 137 x 137 mm. Comes with lot cover.

techn. drawing



MAIN DATA

spare parts

HL39.1G
grating d 110mm/cast iron frame 150x150mm/137x137mm cast iron with trap seal

HL01067D
O-ring 92x4mm

www.inrusstrade.ru

HL037G.1E
cast iron grate 137x137mm

HL0510.7E
trap seal cartridge

HL01067D
O-ring 92x4mm

HL0510.8E
bell trap

HL510NK
floor drain body DN40/50 horizontal

attachment

HL2000
trap seal PRIMUS

HL619
fixing brackets

HL6200
Sound protection pad 500x500mm

Alternatives

HL510NPrG
floor drain DN40/50 horizontal with trap seal PRIMUS, 150x150mm/137x137mm cast iron

Extensions

HL340N
extension 80mm/d 110mm incl. O-ring

HL85N
extension with flange incl. O-ring

HL85NC
extension d 110mm CeraDrain with polymer concrete collar incl. O-ring

HL85NH
extension incl. O-ring with bitumen membrane

Waterproofing Kits

HL83
waterproofing kit with EPDM collar d 400mm

HL83.0
waterproofing kit

HL83.H
waterproofing kit with bitumen membrane d 400mm

HL83.M
Sealing kit with laminated fleece

HL83.P
waterproofing kit with flange PVC d 287mm

HL83.PP
Sealing set with PP flange

TECHNICAL DATA

material	PE	**installation height**	93 mm

www.inrusstrade.ru

dimension	DN40/50	**grate frame**	34-78 mm/150 x 150 mm Guss
capacity	0,55 l/s	**grate**	Gusseisen 137 x 137 mm
weight	2,43	**load class**	L - 1,5 t
EAN	9003076001965	**inlet**	
		standards	

PACKAGING DATA	
PE-bag	
unit	1 [pcs.]
weight	2,432 [kg]
EAN/pack.	9003076001965
height/width/depth	0/0/0 [mm]
volume	0 [m³]
carton	
unit	1 [pcs.]
weight	2,62 [kg]
EAN/pack.	9003076001965
height/width/depth	155/225/295 [mm]
volume	0,010288125 [m³]

www.inrusstrade.ru