

HL510NPr-3121

floor drain DN40/50 horizontal with trap seal PRIMUS, 121x121mm
KLICK-KLACK/115x115mm "Seine"



floor drain DN40/50 horizontal with flange, trap seal PRIMUS, cut-to-size grate frame 12 - 80 mm / stainless steel frame KLICK-KLACK 121 x 121 mm, stainless steel grate 115 x 115 mm "Seine" and supporting frame / cover. Comes with lot cover. System "KLICK-KLACK" - the new arresting system for grates. Loose or lost grates belong to the past. Simply insert the grate into the frame and "click" it in - ready!



MAIN DATA

spare parts



HL037N.OE
supporting frame/cover 123x123mm



HL2000KK
trap seal PRIMUS



HL01086D
O-ring 88x5mm



HL3121
stainless steel grate (316) 115x115mm "Seine"



HL3200
grate frame d 110/100mm/stainless steel frame (316) 121x121mm. System "KLICK-KLACK". Comes with supporting frame/cover.



HL01067D
O-ring 92x4mm



HL037N.OE
supporting frame/cover 123x123mm



HL510NK
floor drain body DN40/50 horizontal

attachment



HL0510.7EKK
trap seal cartridge



HL619
fixing brackets

**HL6200**

Sound protection pad 500x500mm

Extensions**HL340N**

extension 80mm/d 110mm incl. O-ring

**HL85N**

extension with flange incl. O-ring

**HL85NC**

extension d 110mm CeraDrain with polymer concrete collar incl. O-ring

**HL85NH**

extension incl. O-ring with bitumen membrane

Waterproofing Kits**HL83**

waterproofing kit with EPDM collar d 400mm

**HL83.0**

waterproofing kit

**HL83.H**

waterproofing kit with bitumen membrane d 400mm

**HL83.M**

Sealing kit with laminated fleece

**HL83.P**

waterproofing kit with flange PVC d 287mm

TECHNICAL DATA

material	PE	installation height	93mm
dimension	DN40/50	grate frame	12-80mm/121x121mm V2A
capacity	< 0,5 l/s	grate	Edelstahl 115x115mm V4A
weight	1,02	load class	L - 1,5 t
EAN	9003076016600	inlet	
		standards	

PACKAGING DATA**PE-bag**

unit	1 [pcs.]
weight	1,022 [kg]
EAN/pack.	9003076016600
height/width/depth	0/0/0 [mm]
volume	0 [m ³]

carton

unit	1 [pcs.]
weight	1,21 [kg]
EAN/pack.	9003076016600
height/width/depth	155/225/295 [mm]
volume	0,010288125 [m ³]